

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 02/16/2018

Version 1.1

SISECTION 1.Identification

Product identifier

Product number 543899

Product name 1-Methyl-2-pyrrolidone for liquid chromatography LiChrosolv®

Synonyms NMP

CAS-No. 872-50-4

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis, Solvent

Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821,

United States of America | General Inquiries: +1-978-715-4321 | Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5) MilliporeSigma is a business of Merck KGaA, Darmstadt, Germany.

Emergency telephone 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

SECTION 2. Hazards identification

GHS Classification

Flammable liquid, Category 4, H227 Skin irritation, Category 2, H315 Eye irritation, Category 2A, H319

Reproductive toxicity, Category 1B, H360

Specific target organ systemic toxicity - single exposure, Category 3, Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms





Signal Word Danger

Hazard Statements

H360 May damage fertility or the unborn child.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 543899 Version 1.1

Product name 1-Methyl-2-pyrrolidone for liquid chromatography LiChrosolv®

H227 Combustible liquid.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary Statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P321 Specific treatment (see supplemental first aid instructions on this label).

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Formula C₅H₉NO (Hill)

Synonyms NMP

Molar mass 99.13 g/mol

Hazardous ingredients

Chemical name (Concentration)

CAS-No.

N-methyl-2-pyrrolidone (>= 90 % - <= 100 %)

872-50-4

Exact percentages are being withheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air. Call in physician.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 543899 Version 1.1

Product name 1-Methyl-2-pyrrolidone for liquid chromatography LiChrosolv®

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Consult a physician.

Eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

Inaestion

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

irritant effects, Cough, Shortness of breath, pain, Diarrhea, Vomiting

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Water, Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Combustible.

Forms explosive mixtures with air on intense heating.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapors possible in the event of fire.

Fire may cause evolution of:

nitrogen oxides, nitrous gases

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 543899 Version 1.1

Product name 1-Methyl-2-pyrrolidone for liquid chromatography LiChrosolv®

Protective equipment see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Work under hood. Do not inhale substance/mixture. Avoid generation of vapors/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Conditions for safe storage, including any incompatibilities

Protected from light.

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Store at +5°C to +30°C (+41°F to +86°F).

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Contains no substances with occupational exposure limit values.

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material: butyl-rubber
Glove thickness: 0.7 mm
Break through time: > 480 min

splash contact:

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 543899 Version 1.1

Product name 1-Methyl-2-pyrrolidone for liquid chromatography LiChrosolv®

Glove material: natural latex
Glove thickness: 0.6 mm
Break through time: > 60 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 898 Butoject® (full contact), KCL 706 Lapren® (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment:

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapors are generated.

Recommended Filter type: Filter A-(P2)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are performed according to the instructions of the producer. These measures have to be properly documented.

SECTION 9. Physical and chemical properties

Physical state liquid

Color colorless

Odor amine-like

Odor Threshold No information available.

pH 8.5 - 10.0

at 100 g/l 68 °F (20 °C)

Melting point -11 °F (-24 °C)

Boiling point/boiling range 396 °F (202 °C)

at 1,013 hPa

Flash point 196 °F (91 °C)

at 1,013 hPa

Method: DIN 51758

Evaporation rate No information available.

Flammability (solid, gas) No information available.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number Product name	543899 1-Methyl-2-pyrrolidone for liquid chromatography LiChrosolv®	Version 1.1
Lower explosion limit	1.3 %(V)	
Upper explosion limit	9.5 %(V)	
Vapor pressure	0.32 hPa at 68 °F (20 °C) Method: OECD Test Guideline 104	
Relative vapor density	3.42	
Density	1.03 g/cm3 at 68 °F (20 °C)	
Relative density	No information available.	
Water solubility	1,000 g/l at 77 °F (25 °C)	
Partition coefficient: n- octanol/water	log Pow: -0.46 (25 °C) OECD Test Guideline 107 Bioaccumulation is not expected.	
Autoignition temperature	No information available.	
Decomposition temperature	No information available.	
Viscosity, dynamic	1.80 mPa.s at 68 °F (20 °C)	
Explosive properties	Not classified as explosive.	
Oxidizing properties	none	
Ignition temperature	473 °F (245 °C) at1,013 hPa Method: DIN 51794	
Conductivity	0.2 - 0.4 μS/cm	

SECTION 10. Stability and reactivity

Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

Chemical stability

No decomposition if stored and applied as directed.

Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapors with:

Oxidizing agents

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 543899 Version 1.1

Product name 1-Methyl-2-pyrrolidone for liquid chromatography LiChrosolv®

Violent reactions possible with:

Strong acids, Strong bases

Conditions to avoid

Exposure to air. Exposure to sunlight. Strong heating.

Incompatible materials

various plastics

Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure Inhalation, Eye contact, Skin contact

Acute oral toxicity
LD50 Rat: 4,150 mg/kg
OECD Test Guideline 401

Symptoms: Vomiting, Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute inhalation toxicity

LC50 Rat: > 5.1 mg/l; 4 h; aerosol

OECD Test Guideline 403

Irritating to respiratory system.

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of

respiratory tract

Acute dermal toxicity LD50 Rat: > 5,000 mg/kg OECD Test Guideline 402

Skin irritation

Rabbit

Result: Irritations

OECD Test Guideline 404

Causes skin irritation.

Eye irritation

Rabbit

Result: Eye irritation

OECD Test Guideline 405

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 543899 Version 1.1

Product name 1-Methyl-2-pyrrolidone for liquid chromatography LiChrosolv®

Causes serious eye irritation.

Damage to: Cornea

Sensitization

Sensitization test: Guinea pig

Result: negative

(IUCLID)

Patch test: human Result: negative

(IUCLID)

Genotoxicity in vivo In vivo micronucleus test

Mouse

Result: negative

Method: OECD Test Guideline 474

Chromosome aberration test

Result: negative

Method: OECD Test Guideline 475

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

In vitro mammalian cell gene mutation test

Result: negative

Method: OECD Test Guideline 476 unscheduled DNA synthesis assay

Result: negative

Method: OECD Test Guideline 482

Reproductive toxicity
Application Route: Oral

Rat

Method: OECD Test Guideline 416

CMR effects

Teratogenicity / Reproductive toxicity: May damage fertility or the unborn child.

Specific target organ systemic toxicity - single exposure

May cause respiratory irritation. Target Organs: Respiratory system

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 543899 Version 1.1

Product name 1-Methyl-2-pyrrolidone for liquid chromatography LiChrosolv®

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

Further information

After absorption: pain, Diarrhea

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Ecotoxicity

Toxicity to fish

static test LC50 Oncorhynchus mykiss (rainbow trout): > 500 mg/l; 96 h

Analytical monitoring: yes(ECHA)

Toxicity to daphnia and other aquatic invertebrates

static test EC50 Daphnia magna (Water flea): > 1,000 mg/l; 24 h

DIN 38412

Toxicity to algae

static test EC50 Desmodesmus subspicatus (green algae): > 500 mg/l; 72 h

DIN 38412

Toxicity to bacteria

static test EC50 activated sludge: > 600 mg/l; 0.5 h

ISO 8192

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) semi-static test NOEC Daphnia magna (Water flea): 12.5 mg/l; 21 d

Analytical monitoring: yes

OECD Test Guideline 211

Persistence and degradability

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 543899 Version 1.1

Product name 1-Methyl-2-pyrrolidone for liquid chromatography LiChrosolv®

Biodegradability

73 %; 28 d; aerobic

OECD Test Guideline 301C

Readily biodegradable.

Biochemical Oxygen Demand (BOD)

1,100 mg/g (5 d)

(Lit.)

Chemical Oxygen Demand (COD)

1,600 mg/g

(Lit.)

Ratio BOD/ThBOD

BOD1 99 %

(IUCLID)

Ratio COD/ThBOD

> 70 %

OECD Test Guideline 302B

Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: -0.46 (25 °C)

OECD Test Guideline 107

Bioaccumulation is not expected.

Mobility in soil

No information available.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)

Not classified as dangerous in the meaning of transport regulations.

Air transport (IATA)

Not classified as dangerous in the meaning of transport regulations.

Sea transport (IMDG)

Not classified as dangerous in the meaning of transport regulations.

SECTION 15. Regulatory information

United States of America

SARA 313

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 543899 Version 1.1

Product name 1-Methyl-2-pyrrolidone for liquid chromatography LiChrosolv®

The following components are subject to reporting levels established by SARA Title III, Section 313:

Ingredients

N-methyl-2-pyrrolidone 872-50-4 100 %

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311,

Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311,

Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

DEA List I

Not listed

DEA List II

Not listed

US State Regulations

Massachusetts Right To Know

Ingredients

N-methyl-2-pyrrolidone

Pennsylvania Right To Know

Ingredients

N-methyl-2-pyrrolidone

New Jersey Right To Know

Ingredients

N-methyl-2-pyrrolidone

California Prop 65 Components

WARNING: This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

Ingredients

N-methyl-2-pyrrolidone

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL

SECTION 16. Other information

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 543899 Version 1.1

Product name 1-Methyl-2-pyrrolidone for liquid chromatography LiChrosolv®

Training advice

Provide adequate information, instruction and training for operators.

Labeling

Hazard pictograms





Signal Word Danger

Hazard Statements

H227 Combustible liquid.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H360 May damage fertility or the unborn child.

Precautionary Statements

Prevention

P201 Obtain special instructions before use.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Restricted to professional users.

Full text of H-Statements referred to under sections 2 and 3.

H227	Combustible liquid.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H360	May damage fertility or the unborn child.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date02/16/2018

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.